



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/824,587	04/03/2001	Lorraine D. Butlin	ISA-051.01	8700
63767	7590	08/10/2007		
FOLEY HOAG, LLP PATENT GROUP (w/ISA) 155 SEAPORT BLVD. BOSTON, MA 02210-2600			EXAMINER NGUYEN, BAO THUY L	
			ART UNIT 1641	PAPER NUMBER
			MAIL DATE 08/10/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 09/824,587	Applicant(s) BUTLIN ET AL.	
	Examiner Bao-Thuy L. Nguyen	Art Unit 1641	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 05 March 2007.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 22-50 and 55 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 22-50, 55 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 03 May 2007 has been entered.
2. All rejections not reiterated herein below are withdrawn in view of the amendment to the claims and the arguments.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 55, 22-24, 29-30, 35-39 and 44-47 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for the detection of different isoforms of FSH and gonadotrophin and relating their relative abundance to the menopausal status of a human female, does not reasonably provide enablement for the detection of any and all other analytes and relating their relative abundance to the menopausal status of a human female. The specification does not enable any person

Art Unit: 1641

skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims.

Claim 55 is directed to the detection of an analyte compound that is present in at least two different states and relating their relative abundance to the menopausal status of a human female. This method is not taught by the specification as originally filed.

The specification on page 9, lines 6-10 teaches the analysis of FSH samples using a pair of novel anti-FSH monoclonal antibodies that distinguish between pre-menopausal and post-menopausal FSH samples. The specification further teaches that for more accurate diagnosis of menopausal conditions the assay results should be determined numerically, and expressed as a ratio of the signals of the first and second assays. A significant change in this ratio can indicate transition from a pre-menopausal to a post-menopausal state. Thus, the results from a series of contemporaneous tests performed, for example, every few weeks, can be collated and any change in the observed signal ratio as compare to a control is used to diagnose a change in condition. Page 11, lines 5-19. The specification also teaches the detection of members of the gonadotrophin family.

The specification does not teach any other analytes as related to the menopausal status of a human female.

Claim Rejections - 35 USC § 112

5. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

6. Claims 55 and 22-50 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claim 55 is vague and indefinite because it appears to claim that any compound obtained from a human female and detected using the claimed method can be used to determine menopausal status.


Claim 55 is also vague because it does not make clear the amount of analyte detected with the specific menopausal status. The determining step in part (f) is vague. How does one use the relative amounts of the complex detected to determine the menopausal status? Does "X" amount indicate that the female is menopausal or does "Y" amount indicate that the female is menopausal? Even though the specification recites specific ratios of analytes in the samples, the claim does not make clear that ratios within a certain range is related to menopausal status. Furthermore, even though the claims are read in light of the specification, limitations from the specification are not read into the claims.

Conclusion

7. Claims 55 and 22-50 are free of the prior art. The prior art of record does not teach an assay where the same pair of antibody can detect at least two different isoforms of an analyte.
8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bao-Thuy L. Nguyen whose telephone number is (571) 272-0824. The examiner can normally be reached on Tuesday -- Thursday from 9:00 a.m. - 3:00 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Long V. Le can be reached on (571) 272-0823. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Bao-Thuy L. Nguyen
Primary Examiner
Art Unit 1641 7/31/07